


NORANDEX / REYNOLDS

DOUBLE LIFETIME LIMITED WARRANTY

**GENERATIONS® INSULATING
VINYL WINDOWS WARRANTY**



LIFELONG VALUE.
TIMELESS BEAUTY!

generations®
ENERGY-EFFICIENT EXTERIORS 



INSULATING VINYL WINDOWS DOUBLE LIFETIME LIMITED WARRANTY

Simonton Windows® (hereinafter, “Simonton”), manufacturer of **Generations®** Insulating Vinyl Windows, warrants to the original resident purchaser/property owner, that any **Generations®** Insulating Vinyl Window product is free of manufacturing and/or material defects. This Warranty applies for the lifetime of the product under normal use and service, subject to the conditions and limitations herein listed, and as long as the original resident purchaser resides in the home in which the products were installed. If **Generations®** Insulating Vinyl Window products are installed in multi-family, commercial or rental properties, refer to the “Commercial Applications” section of this Warranty.

This Warranty covers only those manufacturing and material defects as specified herein and does not include defects or damages attributable to faulty or improper installation; normal weathering; defects caused by accident, fire, flood, acts of God, vandalism, riot or civil disorder; acts of terrorism or war; misuse; abuse by harmful fumes, vapors, solvents, chemicals or chemical pollutants in the atmosphere; mildew; building settlement or structural failures of walls or foundations; stresses resulting from localized heat which causes excessive temperature differentials over the glass surface edges or occurrences beyond Simonton’s control.

Vinyl – Double Lifetime

The vinyl components of **Generations®** Insulating Vinyl Window products are warranted against defects such as peeling, flaking, chipping, blistering and corrosion for the life of the product. If such defects occur, Simonton will provide replacement parts at no charge. Warranty on the vinyl becomes void if vinyl is painted, stained, or if the surface is altered in any way.

Hardware – Double Lifetime

The **Generations®** Insulating Vinyl Window hardware (locking mechanisms, fasteners, rollers, balances, etc., excluding the finish

on brass door handles) is warranted against defects such as peeling, flaking, rusting, blistering and corrosion for the life of product. If such defects occur, Simonton will provide replacement parts at no charge.

Screen – Double Lifetime

The **Generations®** aluminum screen frame is warranted against defects such as peeling, flaking, blistering and corrosion for the life of the product. The fiberglass screen mesh is warranted against insect damage, punctures and tears for the life of the product. If such defects occur, Simonton will provide replacement parts at no charge.

Glass – Double Lifetime

The installed and sealed **Generations®** insulating glass unit purchased on products with Energy Wise® glass options is warranted against defects resulting in material obstruction of vision from film formation caused by dust or moisture in the air space for the life of the sealed unit. If such defects occur, Simonton will provide a replacement insulating glass unit at no charge for the life of the unit when purchased with Energy Wise® Glass packages.

For units purchased with an Intercept® (standard glass package) spacer system, Simonton will provide a replacement insulating glass unit at no charge for a period of twenty (20) years. If the glass should fail after a twenty (20) year period, Simonton will cover a fixed percentage of the company’s selling price for the insulating glass unit based on the schedule listed below.

	100%	75%	50%
Generations® windows and doors Lifetime purchased with Intercept® spacer system.	0-20 yrs.	21-50 yrs	51 yrs

Insulating glass units containing capillary tubes (recommended for use in insulating glass units traveling through or being installed in areas with elevations 7,000 feet or more above sea level) are warranted against defects resulting in material obstruction of vision from film formation caused by dust or moisture in the air space for the life of the unit. If such

defects occur, Simonton will provide a charge for the life of the unit. Condensation on windows and doors, which may occur as the natural result of humidity within the house or building and interior/exterior temperature differentials, does not indicate a defect in the window or door and is not included in this Warranty. Additional information concerning condensation is available upon request by calling 1-800-SIMONTON. (1-800-746-6686)

Glass Breakage – Double Lifetime Warranty

All **Generations**® Insulating Vinyl Window products carry a 20-year Glass Breakage Warranty. **Generations**® Insulating Vinyl Window products ordered with Energy Wise® Glass, Energy Wise® Plus, or Energy Wise® Secure glass carry a Double Lifetime Glass Breakage Warranty. The Glass Breakage Warranty covers breakage for as long as the original resident purchaser resides in the home in which the products were installed. Breakage attributable to faulty or improper installation, fire, flood, acts of God, riot or civil disorder, acts of terrorism or war, building settlement or structural failures of walls or foundations will not be covered under these Glass Breakage Warranties. Glass Breakage Warranty does not apply to specialty glass such as tempered or glass with grid patterns that have been cut into the glass surface.

Transferable Warranty

The **Generations**® Insulating Vinyl Windows Double Lifetime Limited Warranty is transferable by the original property owner to one subsequent owner provided Simonton receives notice of transfer of title of the registered property within thirty (30) days after the date of transfer of ownership, and provided such notice is accompanied by a copy of this Warranty, the order number and a certified check in the amount of \$50.00. The transfer will not extend the warranty period.

Claims

Any claims for defect under this Warranty should be submitted in writing promptly after discovery to the contractor who installed the **Generations**® Insulating

Vinyl Window product. The claim must refer to the product order number (located in the head of each product) and specify the defect claimed. Allow a reasonable time for inspection.

Repair Procedure

This Warranty is limited to Simonton, at its option, repairing and/or replacing defective parts (color matching not guaranteed) free of charge to the warranty holder. If, after inspection, it is determined that the claim is valid in accordance with the provisions of this Warranty, Simonton agrees, at its option, to repair or replace any defective part or component as warranted above.

Warranty Extension

The original Warranty period shall not be extended by any such repair or replacement, but any remaining Warranty time period shall continue in effect and be applicable under the terms and conditions of this Warranty to the repaired part or component of the **Generations**® Insulating Vinyl Window product.

Product Changes

Simonton reserves the right to discontinue or change any product it manufactures. If the part or component of the product originally installed is not available and Simonton determines to make replacement, Simonton shall have the right to substitute such part or component designated by Simonton to be of equal quality and price.

Commercial Applications

If **Generations**® Insulating Vinyl Window products are installed in a building operated as a multi-family dwelling or used for commercial purposes or rental properties such as schools, churches, apartment complexes, government owned structures, office buildings, etc., then this Warranty will be limited to ten (10) years on all materials and will not be transferable.

Other Warranty Considerations

On some installations caulking is used to seal the frames or trim package against water and air penetration. Caulking is not considered a part of the **Generations**® Insulating Vinyl Window product, and therefore, is not covered under this Warranty. Caulking is normally considered a maintenance responsibility of the homeowner.

This Warranty is valid only if products manufactured by Simonton are used, but shall be void if accessory products not manufactured by Simonton are installed which cause defects to occur in the **Generations**® Insulating Vinyl Window products.

THE WARRANTY STATEMENTS CONTAINED IN THIS CERTIFICATE SET FORTH THE ONLY EXPRESS WARRANTIES EXTENDED BY SIMONTON WINDOWS® FOR **GENERATIONS**® INSULATING VINYL WINDOW PRODUCTS, AND THE PROVISIONS HEREOF SHALL CONSTITUTE THE PURCHASER'S EXCLUSIVE REMEDY FOR BREACH OF THIS WARRANTY GIVEN UNDER THIS CERTIFICATE. SIMONTON SHALL NOT BE LIABLE TO PROPERTY OWNER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY WRITTEN OR IMPLIED WARRANTY ON **GENERATIONS**® INSULATING VINYL WINDOW PRODUCTS.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, OR THE EXCLUSION OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THAT THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY.

THIS LIMITED WARRANTY GIVES SPECIFIC LEGAL RIGHTS. THERE MAY BE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Corporate Headquarters: Simonton Windows®, SBR Office Park, 5300 Briscoe Road, P.O. Box 1646, Parkersburg, WV 26102-1646

Operation of Your **Generations**® Vinyl Windows and Doors

Along with being virtually maintenance free, your windows and doors have been designed and manufactured to be thermally efficient, aesthetically pleasing and easy to operate. All operable sash on Double Hung windows tilt in, Slider sash lift out, Casements open by turning the handle and patio doors feature corrosion-resistant rollers.

To tilt in the operable sash on Double Hung windows, you must:

- Unlock the sash and raise (or lower) it approximately 2" above (or below) the frame.
- Slide the tilt latches toward the cam lock and gently tilt the sash in. Always support tilted sash while cleaning.
- When finished cleaning, tilt the sash up and snap the tilt latches into place. For safety, make sure the tilt latches are securely engaged.
- If it becomes necessary to remove and reinsert the sash, tilt the sash inward to a 90-degree angle and lift the bottom of the sash up and out of the frame. To reinsert the sash into the frame, make sure both pivot bars (located at the bottom of the sash) are fully inserted into the balance shoes.

To remove a Slider sash, simply:

Unlock the sash and slide it past the sash retainer insert located in the head.

Note: Some windows may have a sash

retainer clip instead of an insert that must be removed before opening the sash.

Lift the sash up into the head and pull the bottom of the sash towards you.

To operate Casements:

Lift the handle on the side of the frame to unlock the sash. Turn the handle on the bottom of the frame to open the sash to the desired position.

Turn the handle in the opposite direction to close the sash. To lock the window, make sure the sash is fully closed then lower the handle on the side of the frame.

To lock doors:

Close the operable panel and make sure it is fully against the frame.

Lock the panel with the lever located on the handle.

***Generations**® is a registered trademark of Norandex/Reynolds. Simonton Windows® is registered trademarks and Sensor Glass™, Super Sensor Glass™ and Super Sensor Plus™ are trademarks of Simonton Building Products, Inc. Intercept® is a registered trademark of PPG Industries, Inc. Energy Wise® is a trademark of Edgetech I. G., Inc. Brillo® Pad is a registered trademark of Church & Dwight Co., Inc. Fantastik® is a registered trademark of DowBrands, Inc. Lestoil® and Soft Scrub® are registered trademarks of The Clorox Company. Lyso® is a registered trademark of Sterling Drug, Inc. Murphy Oil Soap® is a registered trademark of Colgate-Palmolive. Windex® is a registered trademark of S. C. Johnson & Son, Inc.*



Care and Maintenance of Your Vinyl Windows and Doors

Congratulations on choosing windows and doors that offer the easy care and maintenance of vinyl. Vinyl won't pit, peel or chalk over time. As a result, with only simple care and cleaning, your windows and doors can keep their beautiful appearance for years to come.

Like any surface exposed to outside elements, your windows and doors will get dirty from time to time, but cleaning them is a snap. Often, heavy rains will wash the vinyl clean, but if the rain isn't enough, you can restore the splendor of the windows and doors by following these simple instructions.

Wash using mild detergent (if necessary) and a soft cloth or ordinary long-handled soft bristle brush. **Do not wash the windows or doors with a high pressure spray. The extreme pressure could crack**

or destroy the caulking around the window or door.

For difficult to remove dirt and stains, use the readily available household cleansers listed on the chart. Follow the manufacturer's instructions on use of the cleansers. In some cases you may wish to use a mildly abrasive cleanser such as Soft Scrub®, but the use of any abrasive material could scratch the surface of the glass and window or door frame. Do not use any abrasive cleansers on windows with a painted coating, and always test any cleaning solutions on an inconspicuous area before applying to the entire surface. Do not use liquid grease remover, strong soaps and detergents containing organic solvents, nail polish remover, furniture polish or cleansers containing chlorine bleach. These items could affect the surface appearance of the vinyl.

CLEANSERS TO REMOVE STAINS FROM VINYL WINDOW AND DOOR FRAMES

STAIN	CLEANSERS *
Bubble Gum	Fantastik®, Murphy Oil Soap®, solution of vinegar (30%) and water (70%), Windex®
Crayon	Lestoil®
DAP (oil-based caulk)	Fantastik®
Felt-Tip Pen	Fantastik®, Water-based cleansers
Grass	Fantastik®, Lysol®, Murphy Oil Soap®, Windex®
Lipstick	Fantastik®, Lysol®, Murphy Oil Soap®
Lithium Grease	Fantastik®, Lestoil®, Murphy Oil Soap®, Windex®
Mold & Mildew	Fantastik®, solution of vinegar (30%) and water (70%), Windex®
Motor Oil	Fantastik®, Lysol®, Murphy Oil Soap®, Windex®
Oil	Soft Scrub® (not on painted windows)
Paint	Brillo® Pad, (not on painted windows)
Pencil	Soft Scrub® (not on painted windows)
Rust	Fantastik®, Murphy Oil Soap®, Windex®
Tar	Soft Scrub®** (not on painted windows)
Top Soil	Fantastik®, Lestoil®, Murphy Oil Soap®

*Cleaning materials are listed in alphabetical order. Simonton® does not endorse proprietary products or processes and makes no warranties for the products referenced herein. Reference to proprietary names is for illustrative purposes only and is not intended to imply there are not equally effective alternatives.

**Note; Soft Scrub® is a mildly abrasive material and use of any abrasive material could have a negative effect on surface appearance.



generations®
ENERGY-EFFICIENT EXTERIORS 



LIFELONG VALUE. TIMELESS BEAUTY!

Generations® Insulating Vinyl Windows are manufactured expressly for, and distributed exclusively by:



8450 South Bedford Road, Macedonia, Ohio 44056